Product Code

	Product Code			VAI LACI.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELU
-AUDIO	O HEADSETS			
SED BC	OMSETS WITH DYNAM	IC MIC		
	HMD 280-1 4976	Communication headset- dynamic mic super cardio • 64 Ohm headphone impedance • unterminated coiled	301,29	249,0
<u> </u>	group 53	cable • max. 3 m	296,31	
	HMD 280-13 4977	Communication headset • dynamic mic super cardio • 300 Ohm headphone impedance • unterminated coiled	272,25	225,0
	group 53	cable • max. 3 m	267,75	
B	HMD 281-1 4978	Single sided communication headset • dynamic mic super cardio • 64 Ohm headphone impedance	272,25	225,0
7	group 53	• unterminated coiled cable • max. 3 m	267,75	
B	HMD 281-13 4979	Single sided communication headset • dynamic mic super cardio • 300 Ohm headphone impedance •	272,25	225,0
7	group 53	unterminated coiled cable • max. 3 m	267,75	
	HMD 26-100-7 502452	Professional broadcast headset • 100 Ohm • ActiveGard ™ • dynamic microphone • Steel cable	574,75	475,0
	group 53	with open ends • 2m - 2018.000 Hz • 105 dB	565,26	
2	HMD 26-600-7 502464	Professional broadcast headset • 600 Ohm • ActiveGard ™ • dynamic microphone • Steel cable	605,00	500,0
-	group 53	with open ends • 2m - 2018.000 Hz • 105 dB	595,00	
0	HMD 26-600-X3K1 502466	Professional broadcast headset • 600 Ohm • ActiveGard ™ • dynamic microphone • Steel cable	605,00	500,0
-	group 53	with XLR-3/6,3mm jack • 2m - 2018.000 Hz • 105 dB	595,00	_
	HMD 26-100 502451	Professional broadcast headset • 100 0hm • ActiveGard ™ • dynamic microphone • 2018.000 Hz	526,35	435,0
	group 53	• 105 dB • Without cable	517,65	
0	HMD 26-600 502463	Professional broadcast headset • 600 Ohm • ActiveGard ™ • dynamic microphone • 2018.000 Hz	544,50	450,0
-70	group 53	• 105 dB • Without cable	535,50	
0	HMD 26-600S 502463	Professional broadcast headset • 600 Ohm • ActiveGard ™ • dynamic microphone • 2018.000 Hz	544,50	450,0
-70	group 53	• 105 dB • Single Sided • Without cable	535,50	
N BOO	MSETS WITH DYNAMIC	MIC		
	HMD 46-3	Open supra-aural headset • dynamic • noise	337,59	
60	500849	compensated mic super-cardioid • 300 Ohm	•	279,0
	group 63	headphone impedance • without cable with ActiveGard TM • which protects controllers from the effects of an acoustic burst	332,01	

Price €

VAT Incl. VAT Excl.

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
<i>8</i> 0	HMD 46-3-6 500466	Open supra-aural headset • dynamic • noise compensated mic super-cardioid • 300 Ohm	373,89	309,00
	group 63	headphone impedance • with open end cable length 1.85 m easy to exchange with ActiveGard TM • which protects controllers from the effects of an acoustic burst	367,71	
OPEN BOO	OMSETS WITH CONDEN	ISER MIC		
25	HME 46-3 500857	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	350,90	290,00
	group 63	300 Ohm headphone impedance • without cable with ActiveGard TM • which protects controllers from the effects of an acoustic burst	345,10	230,00
	HME 46-3-6 500467	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	399,30	330,00
	group 63	• 300 Ohm headphone impedance • with open end cable length 1.85 m easy to exchange with ActiveGard TM • which protects controllers from the effects of an acoustic burst	392,70	333,03
	HME 46 3PTT-6 500468	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	574,75	475,00
	group 63	• 300 Ohm headphone impedance • with cable PTT button and open ends • length 1.85 m easy to exchange with ActiveGard TM • which protects controllers from the effects of an acoustic burst	565,26	
Ŋ	HME-46-31 502484	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	350,90	290,00
9	group 63	• 300 Ohm headphone impedance • without cable • without ActiveGard	345,10	
ACCESSOF	RIES			
	MZQ2002-1	Cable clip	12,71	10.50
	44740 group 63	compatible with headsets Series 26 and Series 46 • easy to exchange	12,50	10,50
	MZW 45	Windshield for boomsets with MKE45-1 microphones	9,08	7,50
	75823 group 63	compatible with headsets Series 26 and Series 46 • easy to exchange	8,93	
STUDIO H	EADSETS			
	HME 26-100 502454	Professional broadcast headset • 50 ohm mono • 100 ohm stereo	550,55	455,00
-	group 63	Destace in all broad and book and it with with a second	534,31	
	HME 26-100 - 7 502455	Professional broadcast headset with unterminated steel wire cable	605,00	500,00
	group 63		595,00	

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	HME 26 - 600 502467 group 63	Professional broadcast headset • 300 ohm mono • 600 ohm stereo	550,55 534,31	455,00
	HME 26 - 600 - 7 502468 group 63	Professional broadcast headset with unterminated steel wire cable	550,55 534,31	455,00
3	HME 26 - 600S 502469 group 63	Professional broadcast headset • 600 ohm mono	550,55 534,31	455,00
ACCESSOF	RIES BROADCAST HEAD			
	Cable-6 500836	Unterminated copper cable • 1.85 m compatible with headsets Series 26 and Series 46	60,50	50,00
	group 63	easy to exchange Unterminated steel wire cable • twin cable	59,50	
	Cable-7 502360 group 63	(can be used with two connectors) • 2 m compatible with headsets Series 26 and Series 46 • easy to exchange	60,50 59,50	50,00
	Cable-H-6 502533 group 63	Unterminated coiled copper cable • 3 m compatible with headsets Series 26 and Series 46 • easy to exchange	90,75 89,25	75,00
	Cable-X4F 502461	Steel wire cable with XLR-4Fem connector • 2 m compatible with headsets Series 26 and Series 46 • easy to exchange	84,70 83,30	70,00
	Cable-X5 502462 group 63	Steel wire cable with XLR-5 male connector • 2 m compatible with headsets Series 26 and Series 46 • easy to exchange	102,85	85,00
	Cable-X3K1 502459 group 63	Steel wire cable with XLR-3 male connector and _" jack • 2 m compatible with headsets Series 26 and Series 46	102,85	85,00
	Cable-X3K1-P48	easy to exchange Steel wire cable with XLR-3 male connector and _"	175,45	
	502460 group 63	jack with P48 Phantom • 2 m compatible with headsets Series 26 and Series 46 • easy to exchange	173,43	145,00
	Cable-H-X4F 502457 group 63	Coiled copper cable with XLR-4Fem connector • 3 m compatible with headsets Series 26 and Series 46 • easy to exchange	96,80 95,20	80,00
	Cable-H-X5 502458	Coiled copper cable with XLR-5 male connector • 3 m compatible with headsets Series 26 and Series 46 • easy to exchange	96,80 95,20	80,00
	Cable-H-X3K1 502456	Coiled copper cable with XLR-3 male connector and _" jack • 3 m	96,80	80,00
	group 63	compatible with headsets Series 26 and Series 46 • easy to exchange	95,20	

Product Code

	FIUUULL COUE			
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	Cable -PTT -6 500844	Cable open ended with PTT button • 1,85 m compatible with headsets Series 26 and Series 46	240,79	199,00
	group 63	• easy to exchange	236,81	
	Cable -PTT -L 500845 group 63	Cable with PTT and LEMO connector FFP.3S.310. CLA.252A • 1,85 m compatible with headsets Series 26 and Series 46 • easy to exchange	410,19 403,41	339,00
1	Cable -PTT -LA	Cable with PTT and LEMO connector FHG.2B.310.	422,29	
ø	502187 group 63	CLAD52Z • 1,85 m compatible with headsets Series 26 and Series 46 • easy to exchange	415,31	349,00
1	Cable D-3PTT-M	Cable with PTT and mini DIN plug • 1,85 m • for HMD	240,79	
	500930 group 63	"Dynamic" headset compatible with headsets Series 26 and Series 46 • easy to exchange	236,81	199,00
1	Cable E-3PTT-M	Cable with PTT and mini DIN plug • 1,85 m • for HME	240,79	
P	500931 group 63	"Electret" headset compatible with headsets Series 26 and Series 46 easy to exchange	236,81	199,00
TELECOM H	HEADSETS RIES HEADSETS			
		Over the head • monaural	10760	
1 1	SH 230 500222	Omnidirectional • dynamic • 300 3.400 Hz • 103 dB	107,69	89,00
1	group 85	• 300 Ohm	105,91	•
	SH 250	Over the head • binaural	143,99	
	500223	Omnidirectional • dynamic • 300 3.400 Hz • 103 dB	4.44.64	119,00
	group 85	• 300 Ohm	141,61	
6)	SH 300	Over the ear Omnidirectional • dynamic • 300 3.400 Hz • 103 dB	163,35	135,00
1	502177 group 85	• 300 Ohm	160,65	133,00
	SH 330	Over the head • monaural	163,35	
1	5354	Omnidirectional • dynamic • 200 4.500 Hz • 104 dB		135,00
	group 85	• 2000 Ohm	160,65	
	SH 335	2-in-1 solution ear clip or monaural ear piece headset Omnidirectional • dynamic • 200 4.500 Hz • 104 dB	175,45	145,00
8 0	500631 group 85	• 2000 Ohm	172,55	1-3,00
\bigcap	SH 350 5356	Over the head • binaural • large ear caps Omnidirectional • dynamic • 300 3.400 Hz • 103 dB	181,50	150,00
	group 85	• 300 Ohm	178,50	

Price €

VAT Incl. VAT Excl.

			Prid	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CALLCENTE	ER SERIES HEADSETS			
\sim	CC 510 5357	Over the head • monaural Ultra Noise Canceling • dynamic • 2004.500 Hz	193,60	160,00
_	group 85	• 104 dB • 2000 Ohm	190,40	
9	CC 515 500215 group 85	Over the head • monaural headset with extra-large ear cap Ultra Noise Canceling • dynamic • 3003.400 Hz	205,70 202,30	170,00
		• 103 dB • 300 Ohm		
	CC 520 5358	Over the head • binaural Ultra Noise Canceling • dynamic • 3003.400 Hz • 104 dB • 2000 Ohm	211,75 208,25	175,00
	group 85 CC 530	2-in-1 solution • monaural	217,80	
-00	5359 group 85	Ultra Noise Canceling • dynamic • 2004.500 Hz • 104 dB • 300 Ohm	214,20	180,00
	CC 540 5360	Over the head • binaural • large ear caps Ultra Noise Canceling • dynamic • 2004.500 Hz	229,90	190,00
	group 85	• 104 dB • 300 Ohm	226,10	
	CC 550 5361	Over the head • binaural • X-large ear caps Ultra Noise Canceling • dynamic • 300 3.400 Hz	235,95	195,00
	group 85	• 103 dB • 300 Ohm	232,05	
WIRELESS	BLUETOOTH OFFICE HE	ADSETS		
9	BW 900 500749	Bluetooth® wireless office headset	337,59	279,00
- 8	group 85		332,01	
	BW 900 Travel Kit 502525	Charger kit for BW 900: USB charger • 220 V travel charger • hardcase	65,34	54,00
6	group 85		64,26	
	BW 900 Travel Kit Complete	Charger kit for BW 900:USB charger • 220V travel charger • HS 900 extension cable • 1x accu	277,09	229,00
0	group 85		272,51	
	BW 900 Travel Kit de Luxe	Charger kit for BW 900:USB charger • 220V travel charger • HS 900 extension cable • 2x accu	301,29	249,00
0	group 85	<u></u>	296,31	_ :5/00
	VMX Office	Bluetooth wireless office headset Electret • Bluetooth 2.0 • Active Gard • 300 4.300 Hz	277,09	229,00
	502473 group 85	• 85 dB	272,51	223,00
1	DW Office 504300	Singlesided DECT headset with high definition sound for desk and softphones	422,29	349,00
83	group 85	Electret • Noise cancelling • ActiveGard • Fast charging • Long distance wireless range - 1506.800 Hz	415,31	2 :5/00

Product Code				Price €	
DW Office Pro1 504304 orouge 85		Art. No.		VAT Incl.	VAT Excl.
So4304 + ultra N Mic + Monaural			·		BENELUX
### Hutra NC Mic * Nonaural Electret * Noise cancelling * ActiveGard * Fost charging * Long distance wireless range * 1506.800 Hz DW Office Pro2		DW Office Pro1	·	434,29	350.00
Source 85 # Station • for desk phone and PC • adjustable mic arm # Ultra NC Mic • Monaural Electret • Noise cancelling • ActiveGard • Fast charging • Long distance wireless range • 1506.800 Hz # DW Office headset # Source 85 # Source	RIS		+ ultra NC Mic • Monaural Electret • Noise cancelling • ActiveGard • Fast charging	427,21	359,00
# ultra NC Mic + Monaural Electret + Noise cancelling • ActiveGard • Fast charging • Long distance wireless range • 1506.800 Hz DW Office headset				446,49	260.00
with accessories (headband, earhook, nameplate, CD, Quick guide) Electret * Noise cancelling * ActiveGard * Fast charging * Long distance wireless range * 1506.800 Hz DW Office Pro1 headset	BIR		+ ultra NC Mic • Monaural Electret • Noise cancelling • ActiveGard • Fast charging	439,11	369,00
Quick guide) DW Office Pro1 headset So4325 Group 85 Electret + Noise cancelling • ActiveGard • Fast charging • Long distance wireless range • 1506.800 Hz				192,39	150.00
DW Office Pro1 headset 504325 with accessories (headband, earhook, nameplate, CD, Quick guide) DW Office Pro2 headset 504325 group 85 Electret * Noise cancelling * ActiveGard * Fast charging * Long distance wireless range * 1506.800 Hz DW Office Pro2 headset with accessories (headband, earhook, nameplate, CD, Quick guide) DW Office Pro2 headset with accessories (headband, earhook, nameplate, CD, Quick guide) DW BS - EU Bases 1 DECT Wireless Office headset 216,59 with accessories (headband, earhook, nameplate, CD, Quick guide) DW BS - EU DW Bs - EU DW Base set * DECT CAT-iq * for desk phone and PC * 228,69 inluding base station * EU power supply * cables * 224,91 pelivery only on demand - 3 month lead time UI SWITCH BOXES UI 710 Passive Box * miniature design 36,30 group 85 Pc witch 202178 group 85 Pc witch 202178 proup 85 Pc witch 202178 Phone and PC switch 2021740 Phone			Quick guide) Electret • Noise cancelling • ActiveGard • Fast charging	189,21	139,00
Pro1 headset 504325 group 85 DW Office Pro2 headset 504326 group 85 DW Office Pro2 headset 504326 group 85 DW BS - EU Basestation 504330 group 85 DW BS - EU Basestation 504330 group 85 DI I 710 Passive Box • miniature design UI 710 Passive Box • miniature design DI I 765 504002 group 85 UI 760 UI 765 504002 group 85 UI 760 UI 760 USB adapter group 85 UI 760 USB adapter for UI switch boxes • direct power from PC USB adapter group 85 UI 760 USB adapter group 85 UI 760 USB adapter for UI switch boxes • direct power from PC USB adapter sold a chief and integrated AEI port • such as the TI series of UI 760 100,000		DW Office		204,43	169,00
### Electret • Noise cancelling • ActiveGard • Fast charging • Long distance wireless range • 1506.800 Hz DW Office	7)	Pro1 headset	with accessories (headband, earhook, nameplate, CD,	-	
Pro2 headset 504326 group 85 Electret • Noise cancelling • ActiveGard • Fast charging • Long distance wireless range • 1506.800 Hz DW BS - EU Basestation 504330 group 85 UI 710 Passive Box • miniature design 9882 group 85 UI 760 So2178 group 85 UI 765 So4002 group 85 Active box • Speaker and microphone amplifier • UI 760 So4002 group 85 UI 760 USB adapter group 85 THA 01 So0620 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 179,00 213,01 213	-		Electret • Noise cancelling • ActiveGard • Fast charging	201,11	
Source S				216,59	170.00
DW BS - EU Basestation 504330 group 85 UI 710 Passive Box • Miniature design UI 760 502178 group 85 UI 765 504002 group 85 UI 760 UI 765 504002 group 85 UI 760 UI 760 UI 765 504002 group 85 UI 760 UI 765 504002 group 85 UI 760 UI 760 South Box • Speaker and microphone amplifier • Found and PC switch UI 760 South Box • Speaker and microphone amplifier • Found and PC switch UI 760 UI 765 South Box • Speaker and microphone amplifier • Found		504326	Quick guide) Electret • Noise cancelling • ActiveGard • Fast charging	213,01	179,00
Solition	•	DW BS - EU	DW Base set • DECT CAT-iq • for desk phone and PC •	228,69	
UI 710 9882 group 85 30,00 WI 760 502178 group 85 Active Box • Headset / Handset switch • Phone and pC switch UI 765 504002 group 85 UI 760 UI 760 South South South Speaker and microphone amplifier • 157,30 Phone and PC switch 154,70 UI 765 South South Speaker and microphone amplifier • 157,30 Phone and PC switch 154,70 UI 760 USB adapter group 85 USB adapter for UI switch boxes • direct power from PC THA 01 South Secommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of UI 700 100,000		504330	safety guide (no headset)	224,91	189,00
UI 710 9882 group 85 30,00 WI 760 502178 group 85 Active Box • Headset / Handset switch • Phone and pC switch UI 765 504002 group 85 UI 760 UI 760 South South South Speaker and microphone amplifier • 157,30 Phone and PC switch 154,70 UI 765 South South Speaker and microphone amplifier • 157,30 Phone and PC switch 154,70 UI 760 USB adapter group 85 USB adapter for UI switch boxes • direct power from PC THA 01 South Secommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of UI 700 100,000		POVES			
9882 group 85 UI 760 Stock to Box • Headset / Handset switch • Phone and Stock to Box • Headset / Handset switch • Phone and Stock to Box • Headset / Handset switch • Phone and Stock to Box • Speaker and microphone amplifier • Stock to Box • Spe	UI SWITCH	_	Dassiva Dava ministrus dasims	26.20	
UI 760 S02178 group 85 PC switch 130,00 UI 765 S04002 group 85 Phone and PC switch 157,30 Phone and PC switch 154,70 USB adapter group 85 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 157,30 130,00 130,00 130,00 130,00 130,00			Passive Box • mimature design	36,30	30,00
502178 group 85 PC switch UI 765 504002 group 85 UI 760 USB adapter group 85 THA 01 500620 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 130,00 154,70 130,00 154,70 130,00 154,70 130,00 154,70 130,00 130,00 130,00	_				
UI 765 So4002 group 85 UI 760 USB adapter group 85 THA 01 So0620 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 154,70 154,70 154,70 154,70 154,70 154,70 154,70 150,000 100,000	0			157,30	130.00
THA 01 Source 2 Source 20				154,70	
UI 760 USB adapter group 85 USB adapter for UI switch boxes • direct power from PC USB adapter group 85 THA 01 S00620 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 154,70 130,00 130,00 100,000				157,30	130.00
USB adapter group 85 THA 01 S00620 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 130,00 154,70 121,00 100,00			Thore and i'c switch	154,70	150,00
THA 01 Recommended for Avaya-Tenovis phones featuring an integrated AEI port • such as the T1 series of 100,000			USB adapter for UI switch boxes • direct power from PC	157,30	130,00
500620 an integrated AEI port • such as the T1 series of 100,00	- A-0			154,70	
	-		· · · · · · · · · · · · · · · · · · ·	121,00	100.00
			-	119,00	100,00

			Pric	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
UDEL ECC	INTERCOM COLUTION			
IKELESS	INTERCOM SOLUTION	Wireless intersem system for E needs	2 620 00	
100	DW 800 i 500883 group 85	Wireless intercom system for 5 people (without headsets)	3.630,00 3.570,00	3.000,00
ò	DW800i-BP-T01 BN 10006	Beltbag for a DW 800i intercom beltpack (use with EasyDisconnect)	30,25	25,00
	group 95		29,75	•
ò	DW800i-BP-T01SW BN 10007	Beltbag for a DW 800i intercom beltpack+swivelclip (use with EasyDisconnect)	36,30	30,00
(3)	group 95 DW800i-BP-T05	Beltbag for a DW 800i intercom beltpack	35,70 33,88	29.00
9	BN 10008 group 95	(use with XLR4)	33,32	28,00
0	DW800i-BP-T05SW BN 10009	Beltbag for a DW 800i intercom beltpack+swivelclip (use with XLR4)	39,93	33,00
	group 95		39,27	55,55
	DW800i-CC-05 BN 10010	Flightcase with 6 compartments for headsets and accessories	363,00	300,00
	group 95		357,00	
ÿ	DW800i-KA-ED/XLR BN 10011	Adaptercable from "EasyDisconnect" to Male XLR4	30,25 29,75	25,00
~	group 95 DW800i - KH 498	Interface box to connect DW 800i to a wired	605,00	
	BN 10012 group 95	"partyline" system	595,00	500,00
BLES AI	ND ACCESSORIES FOR SE	1 & CC HEADSETS		
CESSOR	IES FOR BLUETOOTH MO	DBILE HEADSETS		
	USB cable 502309	USB cable	10,12	8,36
	group 85		9,95	
3	EU Power Supply 502310 group 85	EU Power Supply	20,28 19,94	16,76
		Car Charger	20,28	
	Car Charger 502311 group 85	car charger	19,94	16,76
	Carrying Case	Carrying Case	10,12	
	502314 group 85		9,95	8,36

			Prio	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CABLES FO	R TELEPHONES WITH	H STANDARD MICROPHONE SENSITIVITY		
	CSTD 01 5362	Standard Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 01 To be used with all	24,20	20,00
W 1	group 85	Interface boxes as well as for direct connection to most phones	23,80	
	CSTD 01-1 500480	Standard Bottom cable 100cm: EasyDisconnect to Modular Plug • straight cable • code 01 To be used	24,20	20,00
4	group 85	with all Interface boxes as well as for direct connection to most phones	23,80	20,00
	CSTD 07 500234	Bottom cable: EasyDisconnect to Modular Plug Coiled cable • code 07 To be used for direct	24,20	20,00
*	group 85	connection to some phones	23,80	
	CSTD 08 5365	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 08 To be used for direct	24,20	20,00
A	group 85	connection to some phones	23,80	
	CSTD 13 500235	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 13 To be used for direct	24,20	20,00
	group 85	connection to some phones	23,80	
	CSTD 17 5364	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 17 To be used for direct	24,20	20,00
A	group 85	connection to some phones	23,80	
	CSTD 20 5366	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 20 To be used for direct	24,20	20,00
	group 85	connection to some phones	23,80	•
	CSTD 24 5363	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 24 To be used for direct	24,20	20,00
A	group 85	connection to some phones	23,80	
CABLES FO	R TELEPHONES WITH	H LOW MICROPHONE SENSITIVITY		
	CLS 00 500181	Open End Cable: EasyDisconnect to open end coiled cable • code 00 For special applications requiring non	36,30	30,00
A '	group 85	standard plugs	35,70	•
	CLS 01 500176	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 01 To be used for direct	36,30	30,00
	group 85	connection to some phones	35,70	-
	CLS 08 500179	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 08 To be used for direct	36,30	30,00
A	group 85	connection to some phones	35,70	
	CLS 17	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 17 To be used for direct	36,30	30,00
	500178 group 85	connection to some phones	35,70	30,00
	CLS 20 500180	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 20 To be used for direct	36,30	30,00
A	group 85	connection to some phones	35,70	

		Pri	ce €
Product Code		VAT Incl.	VAT Excl.
Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CLS 24 500177	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 24 To be used for direct connection to some phones	36,30 35,70	30,00
group 85	connection to some priories	33,70	
CABLES FOR TELEPHONES \	WITH HIGH MICROPHONE SENSITIVITY		
CHS 00 500175	Open End Cable: EasyDisconnect to open end coiled cable • code 00 For special applications requiring	36,30	30,00
group 85	non standard plugs	35,70	
CHS 01 500170	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 01 To be used for direct connection to some phones	36,30 35,70	30,00
group 85	Bottom cable: EasyDisconnect to Modular Plug		
CHS 08 500173 group 85	Coiled cable • code 08 To be used for direct connection to some phones.	36,30 35,70	30,00
CHS 17 500172	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 17 To be used for direct	36,30	30,00
group 85	connection to some phones	35,70	50,00
CHS 20 500174	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 20 To be used for direct	36,30	30,00
group 85	connection to some phones	35,70	
CHS 24 500171	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 24 To be used for direct	36,30	30,00
group 85	connection to some phones	35,70	
CABLES FOR TELEPHONES \	WITH EXTRA HIGH MICROPHONE SENSITIVITY		
CXHS 00 500098	Open End Cable: EasyDisconnect to open end coiled cable • code 00 For special applications requiring	36,30	30,00
group 85	non standard plugs	35,70	
CXHS 01 9908	Bottom cable: EasyDisconnect to Modular Plug Coiled cable • code 01 To be used for direct	36,30	30,00
group 85	connection to some phones	35,70	
CXHS 08 9910 group 85	Bottom cable: EasyDisconnect to Modular Plug Coiled cable • code 08 To be used for direct connection to some phones	36,30 35,70	30,00
CXHS 17	Bottom cable: EasyDisconnect to Modular Plug	36,30	
500096 group 85	Coiled cable • code 17 To be used for direct connection to some phones	35,70	30,00
CXHS 20	Bottom cable: EasyDisconnect to Modular Plug	36,30	
500097 group 85	 Coiled cable • code 20 To be used for direct connection to some phones 	35,70	30,00
CXHS 24	Bottom cable: EasyDisconnect to Modular Plug	36,30	20.00
9909 group 85	 Coiled cable • code 24 To be used for direct connection to some phones 	35,70	30,00

			Price €	
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CABLES F	OR TELEPHONES WIT	H SUPER HIGH MICROPHONE SENSITIVITY		
	CSHS 00 500104	Open End Cable: EasyDisconnect to open end coiled cable • code 00 For special applications requiring non	60,50	50,00
À	group 85	standard plugs	59,50	
	CSHS 01 500099 group 85	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 01 To be used for direct connection to some phones	60,50 59,50	50,00
	CSHS 08	Bottom cable: EasyDisconnect to Modular Plug	60,50	
	500101 group 85	Coiled cable • code 08 To be used for direct connection to some phones	59,50	50,00
	CSHS 17	Bottom cable: EasyDisconnect to Modular Plug	60,50	
1	500102	• Coiled cable • code 17 To be used for direct	-	50,00
-	group 85	connection to some phones	59,50	
	CSHS 20 500103	Bottom cable: EasyDisconnect to Modular Plug • Coiled cable • code 20 To be used for direct	60,50	50,00
	group 85	connection to some phones	59,50	30,00
	CSHS 24	Bottom cable: EasyDisconnect to Modular Plug	60,50	50,00
	500100	• Coiled cable • code 24 To be used for direct	F0 F0	
A	group 85	connection to some phones	59,50	
ACCESSO	RIES & CABLES FOR SI	H & CC HEADSETS		
	CAVA 31	Bottom cable: Developed for Avaya 1600 series	24,80	
	504149	Coiled • for SH and CC narrowband/wideband headsets	25.20	30,00
	group 85	Doct /CCM Cobles Foosy Disconnect with 100 cm coble	25,20	
	CCEL 190-2 500359	Dect/GSM Cable: EasyDisconnect with 100 cm cable to 2.5mm • 3 Pole jack plug without microphone	21,18	17,50
	group 85	damping	20,83	
	CCEL 191	Dect/GSM Cable: EasyDisconnect to 2.5 mm • 3 Pole	18,15	
	9887	jack plug converting the office headset for use with	17.05	15,00
	group 85	a Dect & GSM phone	17,85	
	CCEL 191-1 500360	Dect/GSM Cable: EasyDisconnect with 60 cm cable to 2.5 mm • 3 Pole jack plug	19,36	16,00
	group 85	or the man of the plant plant	19,04	_5,55
	CCEL 191-2	Dect/GSM Cable: EasyDisconnect with 100 cm cable	21,18	_
	500361	to 2.5 mm • 3 Pole jack plug	20.02	17,50
	group 85	CCM Calla Far Birmanal La 2 F ann A Balaireil	20,83	
	CCEL 192 9888	GSM Cable: EasyDisconnect to 2.5 mm • 4 Pole jack plug converting the office headset for use with a	18,15	15,00
	group 85	Nokia GSM phone	17,85	_5,00
	CCEL 193	Dect/GSM Cable: EasyDisconnect with 20 cm cable	18,15	
	500271	to 3.5 mm • 3 Pole jack plug without microphone		15,00
	group 85	damping	17,85	
	CCEL 193-2 500366	Dect/GSM Cable: EasyDisconnect with 100 cm cable to 3.5 mm • 3 Pole jack plug without microphone	21,18	17,50
	group 85	damping	20,83	

			Price €	
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	CGA 01 500232	GN 8000/8210 Amplifier cable: EasyDisconnect to Modular Plug To be used for direct connect of headset	24,20	20,00
	group 85		23,80	
	CPHUI 1 5372	Phone to Interface box cable: Modular to Modular plug • short coiled cable To be used for connecting	6,05	5,00
	group 85	the amplifier/switchbox to the telephone	5,95	
2	CEDPC 1 9907 group 85	PC Cable: EasyDisconnect to two 3.5 mm jack plugs To be used when connecting the headset directly to the PC's standard sound card	36,30 35,70	30,00
	CUIPC 1	UI Box to PC Cable: Modular Plug to two 3.5 mm jack	36,30	
	5373 group 85	plugs To be used when connecting the UI box to the PC's standard sound card	35,70	30,00
4	ATC 1	Training Cable: "2 into 1" To be used for training	48,40	
200	500106 group 85	purpose 1 x EasyDisconnect (hearing/speaking) and 1 x EasyDisconnect (hearing only)	47,60	40,00
N	UUSB4	USB cable: 2 x 3,5mm plug to USB connector To be	95,59	
I Å	5374 group 85	used as direct connection to USB source	94,01	79,00
	UUSB6 NEW	USB cable for CC and SH headset	71,39	
	504018 group 85		70,21	59,00
	UUSB8	USB cable for Avaya headsets	102,859	85,00
	group 85		101,15	
600	AMS 01 500107	Mute switch box: EasyDisconnect to mute switch box to EasyDisconnect To be used between bottom cable	48,40	40,00
	group 85	and headset	47,60	
	AIA 01 500233	In-line amplifier for standard carbon microphone applications	130,68	108,00
	group 85		128,52	
	Two prong Kit 500461	Two prong kit: two-prong solution e.g. Lucent CallMaster II • III • IV • and solutions with carbon	147,02	121,50
	group 85	microphones • passive two-prong + AIA 01 + CSTD 01 bottom cable	144,59	
ACCESSOR	IES FOR SH & CC HEADS	SETS		
-	HZP 01	Leatherette ear pads • small For SH 310 / 20 / 30 / 33	9,08	
	91530	/ 35 / 40 and CC510 / 13 / 20 / 30 and MB line	3,00	7,50
	group 95		8,93	
	HZP 02 91531	Leatherette ear pads • medium For CC540 + SH350	10,89	9,00
	group 95		10,71	
	HZP 03 91532	Leatherette ear pads • large For CC550	12,10	10,00
	group 95		11,90	

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	HZP 04 91527 group 95	Acoustic foam ear pads • small For SH 310 / 20 / 30 / 33 / 35 / 40 and CC510 / 13 / 20 / 30 and MB line	7,87 7,74	6,50
	HZP 05 91528	Acoustic foam ear pads • medium For CC540 + SH350	9,68	8,00
	group 95 HZP 06	Acoustic Foam ear pads • large For CC550	9,52 10,89	
	91529 group 95		10,71	9,00
	HPH 01 92820 group 95	Hygienic soft cotton cover	7,87 7,74	6,50
	HPH 02 92821	Hygienic soft cotton cover	30,25	25,00
	group 95		29,75	
ા ુ	EC 01 91536	L + R ear clip	29,04	24,00
	95 SHS 01 92815	Single sided headband For SH 320 + SH 340	28,56 19,36	16,00
1	group 95		19,04	
	DHS 01 92816	Double headband SH + dummy For SH 340	29,04	24,00
0	group 95		28,56	
()	SHC 01 92817 group 95	Single sided headband For CC530	29,04 28,56	24,00
- 3)	CCS 01 91551	Clothing clip • small	3,03	2,50
	group 95		2,98	, -
	CCL 01 91552	Clothing clip • large	3,63	3,00
	group 95		3,57	
	PS 01 91540	Popshield (microphone windscreen)	3,00 2,95	2,48
	group 95	Colour clips for personal identification (3pcs.)		
	FC 01 91543 group 95	Colour clips for personal identification (spcs.)	4,24 4,17	3,50
	FC 02	Colour clips for personal identification (10pcs.)	10,29	0.50
	91544 group 95		10,12	8,50
	TPS 01	Side support • SoHo	3,03	2,50
	91533 group 95		2,98	2,50

		Pri	ce €
Product Code		VAT Incl.	VAT Excl.
Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
TPC 01 91534	Turnable side-support • CC	6,66	5,50
group 95		6,55	
HSH 01 91542	Headset holder with tape	1,82	1,50
group 95	Course has I nough	1,79	
CB 01 92818 group 95	Carry bag / pouch	3,63 3,57	3,00
NCB 01	Name tag for carry bag		
92819 group 95	Name tag for carry bag	2,42 2,38	2,00
HZK 02	Head pads for SH350	3,63	
92846 group 95	ricad pads for Shisso	3,57	3,00
HZK 03	Head pads for CC model	9,68	
92847 group 95		9,52	8,00
TCI 01	Telephone controlling interface	72,60	
500275 group 95		71,40	60,00
HSL 10	Handset lifter for use with DW 800 and BW 900	107,69	
500712 group 95		105,91	89,00
ACCESSORIES FOR DW OFFICE	E SERIES		
CEHS-AV 01 504100	Avaya adapter cable for Electronic Hook Switch • 1600 and 9600 series	59,29	49,00
304100		58,31	10,00
CEHS-SN 01 504101	Snom adapter cable for Electronic Hook Switch • SNOM 320, 360, 370 and 820	59,29	49,00
304101		58,31	•
CEHS-AL 01 504102	Alcatel adapter cable for MSH • IP touch 8 + 9 series	35,09	29,00
		34,51	
CEHS-CI 01 504103	Cisco adapter cable for Electronic Hook Switch • "G" versions	59,29	49,00
		58,31	
CEHS-PO 01 504104	Polycom adapter cable for Electronic Hook Switch • Soundpoint IP 430 and above	59,29	49,00
		58,31	

		Pri	ce €
Product Code		VAT Incl.	VAT Excl.
Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CEHS-DHSG 504105	Standard DHSG adapter cable for Electronic Hook Switch • 140 cm, round	16,94 16,66	14,00
HSL 10 500712	Handset Lifter	107,69	89,00
		105,91	
Fixation kit HSL10 504032	Fixation kit for Handset Lifter	10,89 10,71	9,00
TCI 01	Interface box for telephones featuring electronic	72,60	
500275	hook switch	71,40	60,00
SHS 02	Spare headband for the convertible 2 in1 DW Office	29,04	
DW 10 spare 504344	solution	28,56	24,00
HZP 25 DW 10 504349	Spare earpad • DW Office • leatherette	10,89	9,00
		10,71	
EH set DW 10 F 504352	Spare earhook set • DW Office • fixed all sizes • no bendable	10,89	9,00
		10,71	
Name plate set DW 10 504353	Name plate setwith distance holder for DW Office (incl. distance holder)	7,26 7,14	6,00
QG 01 DW 10 504354	Quick guide • DW Office	6,05	5,00
		5,95	
CD 03 DW series 504360	Manual CD • DW Series	6,05 5,95	5,00
USB cable - DW	Spare Mini USB cable • DW	10,89	9,00
504363		10,71	3,00
RJ 45 - RJ9 - DW 504364	Spare Audio cable • DW, 80cm	10,89	9,00
		10,71	
EH DW 10 B 504370	Bendable earhook single	10,89	9,00
		10,71	
Back plate DW series 504373	Back plate Base station DW 10	10,89 10,71	9,00

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	DW BATT 03 504374	Spare battery • DW Office, Pro 1, Pro 2	22,99	19,00
			22,61	
AVIATION	HEADSETS			
AVIATION	PASSIVE NOISE CANO	CELLATION HEADSETS		
CLOSED B	OOMSETS WITH CONI	DENSER MIC		
. 6	HME 100 4701	Closed boomset (150 Ohm) with noise-compensated microphone • 6,3 mm stereo jack + PJ-068	320,65	265,00
	group 63		315,35	
	HME 120 4702	Closed boomset (150 Ohm) with noise-compensated microphone • U-174 / U connector	344,85	285,00
	group 63		339,15	
\mathcal{Q}	HME 25 KA 2 5309	Closed Boomset (600 Ohm) • with noise-compensated microphone • PJ-055 • PJ068 connector.	484,00 476,00	400,00
	group 63 HME 95	Circumaural foldable closed boomset (225 Ohm mono	217,80	
	500747 group 63	• 300 Ohm stereo) circumaural • with volume control • peak level protection • audio input facility for external audio sources • with noise compensated microphone • with stereo jackand PJ-068 plugs (P/N 095-155-777-0941) Peak Level Protection (volume peaks above 110 dB are eliminated)	214,20	180,00
	HME 43-K 500774 group 63	Closed very lightweight boomset (600 Ohm) • with Noise Canceling Microphone • ActiveGuard •PJ-055 • PJ068 connector	229,90 226,10	190,00
	HME 43-3 502148	The headset HME 43-3 is designed for Air Traffic Control and Flight Control. This model will be delivered with an unterminated cable, 150 Ohm	162,14	134,00
	group 63 HME 43-3S 502593	The headset HME 43-3S is designed for Air Traffic Control and Flight Control. This model will be	159,46 152,46	126,00
	group 63	delivered with an unterminated cable, 300 Ohm	149,94	
CLOSED B	OOMSETS WITH DYN	AMIC MIC		
	HMD 120 4703	Closed boomset (16 Ohm) • with noise compensated dynamic microphone • low impedance • U-174 / U	338,80	280,00
	group 63	connector	333,20	
OPEN BOO	DMSETS WITH CONDE	NSER MIC		
S	HME 46-3 500857	Open ActiveGard boomsets with Noise compensating Condenser Mic without cable	399,30	330,00
	group 63		392,70	,

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	HME 46-K 500470	Open boomset with Peak-Level-Protection • with noise compensated microphone • PJ-055 • PJ068 connector	441,65	365,00
	group 63		434,35	
	HME 46-V-K 500465 group 63	Open boomset with Peak-Level-Protection • volume control • with noise compensated microphone • PJ-055 • PJ068 connector.	550,55 541,45	455,00
	HME 46-C 500464	Open boomset with Peak-Level-Protection • with noise compensated microphone • XLR-5 connector	434,39	359,00
-	group 63		427,21	
	HME 46-N 500463	Open boomset with Peak-Level-Protection • with noise compensated microphone • 8-pin Neutricon	441,65	365,00
	group 63	connector.	434,35	
	HME 46 -ATC 500851	Open ActiveGard boomsets with Noise compensating Condenser Mic • 10-pin LEMO-Connector FFP 3S-310. CLA 252A	635,25 624,75	525,00
	group 63	Open ActiveGard boomsets with Noise compensating	·	
	HME 46-3PTT-L 500469 group 63	Condenser Mic • 10-pin LEMO Connector FFP 3 S-310. CLA 252A • with PTT within cable	732,05 719,95	605,00
- PD	HME 46-3PTT-LA	Open ActiveGard boomsets with Noise compensating	732,05	
	502172 group 63	Condenser Mic • 10 pin LEMO-Connector FHG.2B.310. CLAD25Z • with PTT within cable	719,95	605,00
	HME 46-3PTT-M 500874	Open ActiveGard boomsets with Noise compensating Condenser Mic • mini DIN connector • with PTT within	574,75	475,00
-	group 63	cable	565,25	
OPEN BOC	MSETS WITH DYNAMIC	C MIC		
	HMD 46-3 500849	Open ActiveGard boomset (300 Ohm) • with Noise compensating Dynamic Mic without cable	337,59	279,00
-	group 63		332,01	
	HMD 46-3PTT-M 500873	Open ActiveGard boomset (300 Ohm) • with Noise compensating Dynamic Mic with PTT • cable with	568,70	470,00
-	group 63	Mini-DIN connector	559,30	
OPEN HEA	DDHONE			
OPEN III.A		Open curve auxel headphone a 200 Ohm headphone	220.00	
	HD 46 500899	Open supra-aural headphone • 300 Ohm headphone impedance • without cable with peak level protection	229,90	190,00
	group 63	On an average average hand when you 2000 Oliver have de-	226,10	
	HD 46-K1 500462	Open supra-aural headphone • 300 Ohm headphone impedance • peak level protection • single sided cable	332,75	275,00
	group 63	• 1,85 m • 6,3 mm jack	327,25	

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
CLOSED N	OISEGARD BOOMSETS	WITH CONDENSER MIC, 2XX, 3XX, 4XX SERIES		
	HMEC 250 500748	Foldable aviation headset • Noise Gard • talk through function	526,35	435,00
7	group 63		517,65	
	HMEC 350 500561 group 63	NoiseGard [™] -headset • closed P/N 300-231-4150	780,45 767,55	645,00
Ω	HMEC 460 500788	Full-cup closed NoiseGard™ boomset • 6,3 mm stereo jack • 2,5 mm jack cellphone in socket • 3.5 mm jack	966,79	799,00
	group 63	audio in socket • PJ-068 • XLR-3 connector • no ETSO/ TSO approval	950,81	
OPEN NOI	SEGARD BOOMSETS W	/ITH CONDENSER MIC		
	HMEC 46 500854	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	484,00	400,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • without cable NoiseGard™ active noise compensation reduces cockpit 	476,00	100,00
		noise by approx. 15 dB		
80	HMEC 46 - B - K 502180	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	695,75	575,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • With jack plugs • NoiseGard™ power supply from batteries NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB 	684,25	
	HMEC 46- BV- K 500477	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	786,50	650,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • With jack plugs and volume control • NoiseGard™ power supply from batteries NoiseGard™ active noise compensation reduces cockpit 	773,50	333,73
	HMEC 46 - B - CP	noise by approx. 15 dB Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	695,75	575,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • With XLR-5 connector • NoiseGard™ power supply from batteries or aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB 	684,25	3.3,63
Qn.	HMEC46 - BV - CP 500479	microphone (electret) noise compensated super-cardioid	756,25 743.75	625,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • With XLR-5 connector • NoiseGard™ power supply from batteries NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB 	743,75	

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
Ω	HMEC 46 - KP 500475 group 63	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • NoiseGard™ •	695,75 684,25	575,00
		With jack plugs • NoiseGard™ power supply from aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB		
	HMEC 46 - V - KP	Open supra-aural headset • pre-polarized condenser	726,00	600,00
	500476 group 63	microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • NoiseGard™ • With jack plugs and volume control • NoiseGard™ power supply from aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB	714,00	000,00
	HMEC 46 - CP	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-	726,00	600,00
	500472 group 63	cardioid • 300 Ohm headphone impedance • NoiseGard™ • With XLR-5 connector • NoiseGard™ power supply from aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB	714,00	000,00
	HMEC 46 - V - CP 500473	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	726,00	600,00
	group 63	 300 Ohm headphone impedance • NoiseGard™ • without cable NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB 	714,00	,
	HMEC 46 - NP 500474	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid	726,00	600,00
	group 63	• 300 Ohm headphone impedance • NoiseGard™ • With XLR-5 connector and volume control • NoiseGard™ power supply from aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB	714,00	,
	HMEC 46 - V - RP	Open supra-aural headset • pre-polarized condenser	726,00	600.00
	500471 group 63	microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • NoiseGard™ • With 6-pin Redel connector and volume control • NoiseGard™ power supply from aircraft DC power supply system NoiseGard™ active noise compensation reduces cockpit noise by approx. 15 dB	714,00	600,00
CCESSOF	DIEC			
CCLSSOI	AKR 1	Aerobatics chin-belt for 400 / 300 / 100 Series	44,77	27.00
	400704		44,03	37,00

			Pri	ce €
	Product Code		VAT Incl.	VAT Excl.
	Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
	BP 04 500357 group 63	Battery pack for HMD / E C3xx / 355 / 372 / 4xx	66,55 65,45	55,00
	C 2545 K/C 88888	Kit 2x Jack fem PJ055 / PJ068 • XLR5 (Airbus adaptor)	78,65	65,00
	group 88		77,35	
	C 2545 KA/X 75516	Kit KA • KAX for HMEC 25 / 45	58,08 57,12	48,00
	group 90	Coble with VID Company from bottories or aircraft		
,	Cable - B - CP 500837 group 63	Cable with XLR-5 • power from batteries or aircraft DC (P/N -999-2291)	254,10 249,90	210,00
	Cable - B -K 502183	Cable with jacks • power from batteries (P/N -999-1191)	254,10	210,00
•	group 63	(,)	249,90	
18	Cable - BV - CP 500838	Cable with XLR-5 • volume control • power from batteries or aircraft DC (P/N -999-2281)	308,55	255,00
	group 63		303,45	
6	Cable - BV - K 500839	Cable with jacks • volume control • power from batteries (P/N -999-1171)	308,55	255,00
	group 63		303,45	
V	Cable - CP 500852 group 63	Cable with XLR-5 • power from aircraft DC(P/N -999-3211)	254,10 249,90	210,00
		Cable with jacks • power from aircraft		
Ø	Cable - KP 500842 group 63	DC (P/N -999-3111)	254,10 249,90	210,00
	Cable - NP 500855	Cable with 8-pin Neutricon connector • power from aircraft dc (P/N -999-3811)	254,10	210,00
Ţ	group 63		249,90	-
<u> </u>	Cable - V - CP 500846	Cable with XLR-5 • volume control • power from aircraft DC(P/N -999-3251)	284,35	235,00
	group 63		279,65	
<u>*</u>	Cable - V - KP 500848	Cable with jacks • volume control • power from aircraft DC (P/N -999-3161)	284,35	235,00
	group 63		279,65	
	Cable - V - RP 500853	Cable with 6-pin Redel connector • volume control • power from aircraft dc (P/N -999-3661)	284,35	235,00
	group 63	California and all disconsisting (Edg.	279,65	
•	Cable -6* 500836 group 63	Cable open ended • 1,85 m • HMD / E 46	60,50 59,50	50,00
•	Cable D-3PTT-M	Cable with PTT and mini DIN plug • 1,85 m • HMD 46	254,10	210,00
	group 63		249,90	
	· · · · · · · · · · · · · · · · · · ·			

		Pri	Price €	
Product Code		VAT Incl.	VAT Excl.	
Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX	
Cable E-3PTT-M 500931 group 63	Cable with PTT and mini DIN plug • 1,85 m • HME 46	254,10 249,90	210,00	
 Cable -K1 500970 group 63	Cable with 6,3 mm jack connector (P/N -999-0931)	108,90 107,10	90,00	
Cable -N 500843 group 63	Cable with 8-pin Neutricon connector (P/N -999-0831)	133,10 130,90	110,00	
Cable -PTT -6 500844 group 63	Cable open ended with PTT button • 1,85 m • HMD / E 46	240,79	199,00	
Cable -PTT -L 500845 group 63	Cable with PTT and LEMO connector FFP.3S.310. CLA.252A • 1,85 m • HMD / E 46	417,45 410,55	345,00	
Cable -PTT -LA 502187 group 63	Cable with PTT and LEMO connector FHG.2B.310. CLAD52Z • 1,85 m • HMD / E 46	429,55 422,45	355,00	
 Earpads (1 pair) 85764 group 90	Ear pads for 400 Series	37,51 36,89	31,00	
Earpads GOP 92807 group 88	Gel ear pads for 100 • 300 and 400 Series	42,35 41,65	35,00	
HT 2 77408 group 63	Synthetic bag for HME(C) 25 / 45	25,41 24,99	21,00	
HT 3 78366 group 63	Synthetic bag for HME(C) 100 / 300	31,46 30,94	26,00	
HY100 53247 group 90	Hygiene pads for HMEC 200 / 222 (10 pairs)	13,31 13,09	11,00	
HZH 60 3553 group 61	Hygiene pads for HD(C) + HME(C)45 (100 pairs)	60,50 59,50	50,00	
HZP 25 77900 group 90	Hygiene cover for HME(C)25 and HME 1410	6,05 5,95	5,00	
HZP 45 83142 group 90	Comfort pads for HME(C)45	7,87	6,50	
RB 70 91592	Comfort hygiene pads for HMD / E(C) 45	7,48	6,18	
 group 90		.,		

		Pri	ce €
Product (Code	VAT Incl.	VAT Excl.
Art. No. Group No.	Description Technical Data	BELUX NL	BENELUX
MZQ2002	2-1 Clip for cable	12,71	10,50
44740 group 90		12,50	10,50
MZW 45	Windshield for boomsets with MKE45-1 microphones	9,08	7.50
75823 group 90		8,93	7,50